

Coats® Eloflex™

Coats Eloflex is an innovative performance stretch sewing thread for high extension, stretch seams. It has good tenacity, high extension properties and excellent sewability.

Eloflex is a great option for soft and secure stretch seams for performance sportswear and next-to-skin garments. Its controlled elongation minimises the risk of seam extension failure on stretch fabrics.

COATS
eloflex



STRETCH
POLY

WHY CHOOSE ELOFLEX?

- Coats Eloflex delivers high extensibility and good seam strength with excellent sewability
- Minimises the risk of seam extension failure on stretch fabrics
- Enables high stretch lockstitch seams
- Full range of thread sizes for all stretch fabric and stretch materials
- High stretch and controlled elongation
- Extensive range of colours
- Standard 100 by Oeko-Tex® Class I

MAIN USES:

- For stretch seams in performance sportswear and activewear
- Stretch jeans and jeggings
- For highly stretchable seams in footwear
- Neck seams and hemming operations
- Underwear
- Childrenswear



PRODUCT RANGE

Art/Tkt	Tex	Ticket	Length	Average Strength cN	Recommended Needle Size Metric	Elongation % Min - Max
0323 120	27	120	3000m	900	75 - 90	40-80
0323 080	40	80	3000m	920	75 - 90	45-85
0322 050	70	50	2000m	1700	100 - 120	55-90
0322 030	105	30	2000m	2550	110 - 130	55-90
0322 020	135	20	2000m	3400	120 - 140	60-90



Coats Eloflex

AREAS OF APPLICATION

For lockstitch applications, always use Eloflex both in the needle and the bobbin to achieve optimal stretch in the seam. Coats Eloflex has a high initial modulus which enables it to deliver the good loop formation properties that are critical to good machine sewing.

For soft and secure stretch seams for performance sportswear and next-to-skin garments, please refer to the below recommendations with Eloflex:

Stitchtype	Seam Description		Stretch Soft	
			Option 1	Option 2
301	Lockstitch Operations	Needle Bobbin	Eloflex 120 Eloflex 120	Eloflex 120 Eloflex 120
406	Coverseams	Needle Looper	Eloflex 120 Gramax 160	Eloflex 120 Seamsoft 160
504 or 514	Overlock	Needle Looper	Eloflex 120 Gramax 160	Eloflex 120 Seamsoft 160
605 or 607	Flatseams	Needle Looper Spreader	Eloflex 120 Gramax 160 Gramax 160	Eloflex 120 Seamsoft 160 Gramax 160



CHEMICAL PROPERTIES

Mineral acids:	Resistant to most mineral acids
Alkalis:	Essentially unaffected by weak alkalis, but less resistant to stronger alkalis, especially at higher temperatures
Organic solvents:	Generally unaffected, but soluble in some phenolic compounds
Bleaching:	Unaffected
Insects / microorganisms (mildew, rot):	Unaffected
Laundering / dry cleaning:	Unaffected
Moisture regain:	0.2%

FASTNESS PROPERTIES

Washing at 60°C	(ISO 105 C10:2006 C(3))	Grade 4
Water Fastness	(ISO 105 E01:2010)	Grade 4
Rub Fastness	(ISO 105 X12:2001)	Grade 4
Hypochlorite Fastness	(ISO 105 N01:1993)	Grade 4
Dry Cleaning Fastness	(ISO 105 D01:2010)	Grade 4
Perspiration Fastness	(ISO 105 E04:2009)	Grade 4
Artificial Light Fastness	(ISO 105 B02:1994)	Grade 4



Coats Eloflex

EXPERT REAL WORLD SUPPORT

The final cost of any thread also includes hidden costs, fuelled by the methods and tools applied to it. Our experts know exactly how to reduce those costs, save time and increase productivity.



Seamworks

Install our Seamworks software to accurately calculate costs prior to production, putting an end to the risk of over or under ordering materials, and incurring unnecessary extra costs. The Seamworks tool is provided with installation, training and ongoing support included.



One to One Visits

There's no need to come to us, our experts will travel to your site. In person, online or via the phone, our trained consultants deal with the kind of issues any busy factory may face, providing a solution for today and a blueprint for future efficiency.



Training and Presentations

From thread selection to stitch formation, the use of colour to solutions for common production issues, we take the learning gathered through years of hands on experience and present it in the form of high impact seminars, workshops and presentations.



Embroidery Service Centre

Our Embroidery Service Centre makes embroidering a design much easier, increasing productivity at the same time as enhancing the design itself. Email the design and any problematic issues to us and our technicians will email the improved design right back.



Innovation Hub

Collaborate directly with expert R&D technologists at our Innovation Hub to create pioneering and tailored solutions for products ranging from Performance Materials to Apparel and Footwear. Equipped with state-of-the-art technology, we quickly turn ideas into prototype designs ready for manufacturing.

To drive your hidden costs down, talk to Coats. From thread audits in pre-production to the latest technical bulletins, we'll provide support that achieves measurable results.

For more information, talk to your Coats representative today or visit [coats.com](https://www.coats.com)



STRETCH
POLY

Since conditions and applications vary considerably in the use of a product, the customer and/or user should assure themselves that the product meets end customer requirements and is suitable for the intended end use. Coats accepts no liability for unsuitable or improper use or application of products. Information provided is based on current averages and should be taken only as indicative. Coats accepts no liability for the preciseness and correctness of the information provided. Product information sheets are updated for time to time, please be sure you are referring to the most recent publication. Coats supports customers with advice on individual applications on request; if you have any questions or concerns, please contact us. © Copyright reserved 2021

